MK 279511

8EHQ_0904_15672

3M

September 24, 2003, SER 07 77 9: 15

By Hand Delivery

Document Processing Center (7407)
Office of Pollution, Prevention and Toxics
U.S. Environmental Protection Agency
1200 Pennsylvania Avenue, N. W.
Washington, DC 20460
Attention: Section 8(e) Coordinator

Re: TSCA Section 8(e) Submissions

Dear Sir/Madam:

3M Company ("3M") requests that EPA place the attached studies in the TSCA Section 8(e) docket. We have included a master index for these studies identifying the study title, test substance and CAS number. A Confidential Business Information (CBI) version of this index and the studies also is being submitted today pursuant to EPA procedures. 3M has not provided CBI substantiation with this submission, but would be willing to do so at the Agency's request.

3M has concluded that data in these studies may not be, strictly speaking, "corroborative" of previously reported or published information as defined in EPA's reporting guidance or otherwise potentially may warrant 8(e) submission based on EPA's reporting guidance.

3M appreciates EPA's attention to this matter. Please contact the undersigned if you have any questions or require further information regarding this submission.

Very truly yours,

Katherine E. Reed (9.02)

Dr. Katherine E. Reed, Ph.D Staff Vice President Environmental Technology and Safety Services (651) 778-4331

kereed@mmm.com

2004 OCT -7 AK 8: 02

	A CONTRACTOR OF THE CONTRACTOR	The region of the second state of the second s
3.11	स्विकार्य विद्याल्याम	
Primary Eye Irritation Study -		_
Rabbits		
	20% solids (Ethomeen S/12 1.0M with diethyl	
	sulfate 0.94M); 80% water [Ethomeen S/12 = R-	
Guinea Pig Contact Dermal	N(Et)+(C2H4OH)2 where R=C18 with 1-2	
Irritation/Sensitization	double bonds]	20% (61791-24-0 with 64-67-5); 80% 7732-18-5
Primary Eye Irritation Study -		
Rabbits	Butanoic acid, heptafluoro-, calcium salt	2366-98-5
Acute Oral Toxicity Screen with T-		
2712CoC in Albino Rabbits	perfluorohexanoic acid	307-24-4
Primary Skin Irritation Test with T-		
2725Ec (Repeat Application) in		
Albino Rabbits	lı	
Acute Ocular Irritation Test with T-		
2725Ec in Albino Rabbits		
Sensitization Study with T-2741AC		
in Albino Guinea Pigs		
Oral Rangefinder Study of T-3140BS	1-[3'-(perfluorooctanesulfonate) anilino amide]-2	
in Pregnant Rats	potassium 3,4,5,6-tetrachlorophthalate	57589-85-2
	80% 1-[3'-(perfluorooctanesulfonate) anilino	
	amide]-2-potassium 3,4,5,6-	
	tetrachlorophthalate; 5% C7 homolog; 5% C5	80% 57589-85-2; 5% 68541-01-5 ; 5% 68541-02-6;
	homolog; 5% C4 homolog; 5% C6 homolog	5% 68568-54-7; 5% 68815-72-5
Acute Occular Irritation Test with T-	perfluoroethylcyclohexylsulfonic acid diethanol	
2997CoC in Albino Rabbits	amine salt	salt of 133201-07-7 and 111-42-2
Sensitization Study with T-3386 in		
Albino Guinea Pigs		[
In Vitro Microbiological Mutagenicity		
Assays of 3M Company's		
Compound T-3411	[[[111



,	Connuential Dusiness information	
	STALLES PROPERTY	
	68% poly(oxy-1,2-ethanediyl), alpha-[2- [ethyl[(heptanedecafluorooctyl)sulfonyl]amino]et hyl]-omega-hydroxy-; 12% polethylene glycol; 7% water; 4.86% poly(oxy-1,2-ethanediyl), alpha-[2- [ethyl[(pentadecafluoroheptyl)sulfonyl]amino]eth yl]-omega-hydroxy-; 4% residual organic fluorochemical; 3% heptadecafluoro-1- octanesulfonic acid; 0.81% poly(oxy-1,2- ethanediyl), alpha-[2- [ethyl[(undecafluoropentyl)sulfonyl]amino]ethyl]- omega-hydroxy-; 0.3% 1,4-dioxane; 0.2% n- ethylperfluorooctanesulfonamidoethyl alcohol;	68% 29117-08-6; 12% 25322-68-3; 7% 7732-18-5; 4.86% 56372-23-7; 4.05% 68298-79-3; 3.24%
_		68298-81-7: 3% 1763-23-1; 0.81% 68298-80-6;
Acute Oral Toxicity Screen with T-	0.03% linear n-ethyl	0.3% 123-91-1; 0.2% 1691-99-2; 0.03% 4151-50-2
3448 in Albino Rats	perfluorooctanesulfonamide	0.076 120 01 1, 012 20
n Vitro Microbiological Mutagenicity	,	
Assays of 3M Company's	1	
Compound T-3516		
Acute Dermal Toxicity Study with T-	C8F17SO2N(CH3).Na	Unknown
3451 in Albino Rabbits	C8F1/SO2N(CH3).Na	
Acute Oral Toxicity - Method, Summary, Pathology; Primary Dermal Irritation - Method, Summary; Primary Eye Irritation -		
Method, Summary; Guinea Pig		1
Maximization - Method, Summary	lr	
Acute Oral Toxicity - Method, Summary, Pathology; Primary		
Dermal Irritation - Method, Summary; Primary Eye Irritation - Method, Summary;	1	
		
Dermal Sensitization Study in Guinea Pigs, Maximization Test - Method, Summary	r I	
Metricu, Sulfillary		
4 Hour Acute Aerosol Inhalation Toxicity Study with T-3825 in Rats		
Primary Eye Irritaiton/Corrosion Study in Rabbits		
4-Hour Acute Aerosol Inhalation Toxicity Study with T-3825 in Rats		

Till.		· · · · · · · · · · · · · · · · · · ·
T-3820: Acute Inhalation Toxicity	3.11 5.11 3.41 3.41 3.41	
Test	1	
T-3821: Acute Inhalation Toxicity		
Test	lr 1	1
T-3845 Acute Inhalation Toxicity		
Test	heptafluorobutyryl chloride	375-16-6
Evaluation of the Acute Inhalation		
Toxicity of T-3920 in the Rat	lr 1	
Primary Eye Irritation Study in	Decanoic acid, nonadecafluoro-, ammonium	
Rabbits - Method, Summary	salt	3108-42-7
Acute Oral Toxicity Study in Rats	95% ammonium perfluorodecanoate; 5%	
(OECD Guidelines)	ammonium perfluorooctanoate	5% 3825-26-1
Acute Inhalation Toxicity Study with		
T-4129 in the Rat	lr 1	1
Acute Inhalation Toxicity Study with		
T-4130 in the Rat	lr 1	
Acute Oral Toxicity Study in Rats;		
Acute Dermal Irritation Study in		
Rabbits: Acute Eye Irritation Study		
in Rabbits	lr 3	
Dermal Sensitization Study in		
Guinea Pigs - Maximization Test	1	
Mutagenicity Test on T- 4413 []		
Mouse Lymphoma Forward Mutation		
Assay with Duplicate Cultures		
Acute Inhalation Toxicity Study with		
T-4354 in the Rat		
Primary Dermal Irritation/Corrosion		
Study in Rabbits		
Acute Inhalation Toxicity Study in		<u> </u>
the Rat with T-4397		
Primary Eye Irritation/Corrosion		
Study of T-5261 in Rabbits	lithium tetrafluoroethane-1,2-disulfonimide	Unknown
Acute Inhalation Toxicity Evaluation		
on T-5231 in Rats		
4-Hour, Acute Inhalation Toxicity		
Study with T-5305 in Rats		
4-Hour, Acute Inhalation Toxicity		
Study (Limit Test) with T-5343.1 in		
Rats	1(

E William	1979 10 1979 1885	
4-Hour, Acute Inhalation Toxicity		TO THE PERSON NAMED ASSOCIATION OF THE PERSON NAMED ASSOCIATIO
Study With T-5306 in Rats	lr i	İr
4-Hour, Acute Inhalation Toxicity		
Study (Limit Test) with T-5357.1][1
Acute Dermal Toxicity Study of T-		
4201 in Rabbits	Lithium Bis(Trifluoromethanesulfonyl)imide	90076-65-6
SubAcute 28-Day Oral Toxicity with		
T-2816 by Daily Gavage in the Rat		
Followed by a 14 Day Recovery		
Period	1	1
Subacute 28-Day Oral Toxicity with	<u></u>	
T-2816 by Daily Gavage in the Rat		
Followed by a 14-Day Recovery		
Period	1	1
Acute Inhalation Toxicity Evaluation		
on T-5187 in Rats	1	1
T-4240 4-Week Oral Toxicity Study		
in Rats	1	1
Dermal Sensitization Study of T-		
5473 in Guinea Pigs - Maximization		
Test	1	1
4-Hour, Acute Inhalation Toxicity		
Study With T-5698 in Rats	[]	1 1
Acute Inhalation Toxicity Evaluation		
On T-5708 in Rats	[1
T-5486 Assessment of Cardiac		
Sensitization Potential in Dogs	octafluoropropane	76-19-7
Acute Inhalation Toxicity Evaluation		
on T-5655 in Rats]	lt i
T-4201 4 Week Oral Toxicity Study		
in Rats with 2-Week Recovery		
Period	Lithium Bis(Trifluoromethanesulfonyl)imide	90076-65-6
T-5658: Eye Irritation to the Rabbit		
Acute Inhalation Toxicity Evaluation		
on T-5715 in Rats	[]	1
Acute Inhalation Toxicity Evaluation		
on T-5716 in Rats	[]	
Acute Inhalation Toxicity Study of T-		
5724 in Rats]	1
Acute Inhalation Toxicity Study of T-		
5725 (Resin Solution) in Rats		

	Salitace, and market	
The state of the s	Contract to the contract of the second	
Acute Inhalation Toxicity Study	1	1
(Limit Test) of T-5927 in Rats		
Acute Inhalation Toxicity Study of T-	1	lr 1
5928 in Rats (LC50) Acute Inhalation Toxicity Evaluation	<u> </u>	
on T-5829 in Rats	1	1
Single-Dose Intravenous		
Pharmacokinetic Study of T-5963 in		
Rabbits	1	ir _11
Single-Dose Intravenous	<u> </u>	
Pharmacokinetic Study of T-6030 in		
Rabbits	1	
Rabbits		
	87-93% fluorinated alkyl alkoxylates; 4-10%	
	linear N-ethyl perfluorooctanesulfonamide; 2-	
	4% poly(oxy-1,2-ethanediyl),.alpha[2-	
	[ethyl[(pentadecafluoroheptyl)sulfonyl]amino]eth	
	yl]omegamethoxy-; 0-4% residual organic	
	fluorochemicals; 0-2% c8 sulfonamide; 0.1-1%	
5-Daily Dose Dermal	1-heptanesulfonamide, N-ethyl-	
Absorption/Toxicity Study of T-6029	1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoro-;	87-93% 68958-61-2; 4-10% 4151-50-2; 2-4%
and T-6032 in Rabbits	miscellaneous components (each less than 1%)	
Single-Dose Intravenous		
Pharmacokinetic Study of T-6061 in		
Rabbits		
Single-Dose Intravenous		
Pharmacokinetic Study of T-6065 in		
Rabbits		
Single Dose Intravenous		
Pharmacokinetic Study of T-6063 in		
Rabbits	[
Acute Inhalation Toxicity Study of T-		
6235 in Rats		
Primary Dermal Irritation/Corrosion		
Study of T-6402 in Rabbits		
Dermal Sensitization Study of T-	1	1
Definal Sensitization Study of 1		
6402 in Guinea Pigs- Maximization		,
6402 in Guinea Pigs- Maximization Test (EC Guidelines)		
6402 in Guinea Pigs- Maximization	[] 1-Butanesulfinic acid, 1,1,2,2,3,3,4,4,4- nonafluoro-, Sodium Salt	102061-82-5

	\$ 1. 100 THAN 100 TH	NAME OF PARTY AND PARTY.
Primary Skin Irritation / Corrosion	a the companies	
Study with T-6567 in the Rabbit (4-		
Hour Semi-Occlusive Application)	,	<u>.</u>
Assessment of Contact	 	L
Hypersenitivity to T-6318 in the		
Albino Guinea Pig (Maximization	4 Putananillinia anid 4 4 0 0 0 0 4 4 4	
Test)	1-Butanesulfinic acid, 1,1,2,2,3,3,4,4,4-	
Single-Dose Intravenous	nonafluoro-, Sodium Salt	102061-82-5
Pharmacokinetic Study of T-6502 in Rabbits		
Single-Dose Intravenous		
Pharmacokinetic Study of T-6504 in		
Rabbits]	1
Single Dose Intravenous		
Pharmacokinetic Study of T-6506 in		
Rabbits		1
A Study for Effect on Embryofoetal		
Development of the Rat (Inhalation	20-80% methyl nonafluoroisobutyl ether; 20-	
Administration)	80% methyl nonfluorobutylether	20-80% 163702-08-7; 20-80% 163702-07-6
Bacterial Reverse Mutation Test of T		
6695]	1
5-day Inhalation Toxicity of		
Perfluorocyclohexene ([]; T-	70% crude perfluorocyclohexene; 30%	
6878) in Rats	perfluoromethylcyclopentene	70% 355-75-9
5-Daily Dose Dermal		
Absorption/Toxicity Study of T-6502		
and T-6503 in Rabbits	1	1
Primary Eye Irritation/Corrosion		
Study of T-6786 in Rabbits	Lithium Bis(perfluoroethylsulfonyl)imide	132843-44-8
Primary Dermal Irritation/Corrosion		
Study of T-6804 in Rabbits	Lithium Bis(perfluoroethylsulfonyl)imide	132843-44-8
5-Day Inhalation Toxicity Screen of		
HFE[]	c-C6F11OCH3	4943-08-2
Primary Eye Irritation/Corrosion		
Study of T-6804 in a Rabbit (OECD		
Guidelines)	Lithium Bis(perfluoroethylsulfonyl)imide	132843-44-8
Acute Oral Toxicity Study of T-6804	N	105010 41 0
in Rats (OECD Guidelines)	Lithium Bis(perfluoroethylsulfonyl)imide	132843-44-8
	- I - I - I - I - I - I - I - I - I - I	102010-11-0
Dermal Sensitization Study of T-		
6908 in Guinea Pigs, Mazimization		
Test (EC Guidelines)		
est (EC Guidelines)		

	A STATE OF THE STA	TASTING DEMIS
ME. C. L. L.	avistal se de carridation	Tum Consul ANDRO Chesapita in
Lyo minduois con con con	N-Me Fos Amide-Triphenylbenzyl Phosphonium	31506-32-8
4127 in the Rabbit	Chloride Complex; D-1624	31300-32-0
Single-Dose Intravenous		
Pharmacokinetic Study of T-6924 in	3	1
Rabbits		1
Dermal Sensitization Study of T-		
6924 in Guinea Pigs- Maximization		1
Test (EC Guidelines)		
Dermal Sensitization Study of T-		1
7003 in Guinea Pigs - Maximization	_	1.
Test (EC Guidelines)		
Report of Sera and Liver Data for [N-ethyl heptadecafluoro-N[2-	
1 Monoester - Preliminary ADME	(phosphonooxy)ethyl] octanesulfonamide	l
Study in Rats	diammonium salt	67969-69-1
Diester-Pharmacokinetic		
Study in Rats (Study No. T-7043.1,	ammonium	
DT-26)	bis[ethyl(perfluorooctane)sulfonayl]phosphate	30381-98-7
Single Dose Intravenous		
Pharmacokinetic Study with T-7082		,
in Rabbits		
	N-ethyl heptadecafluoro-N[2-	
r 1 Monoester - Pharmacokinetic	(phosphonooxy)ethyl] octanesulfonamide	
Study in Rats (Study No. T-6997.2)	diammonium salt	67969-69-1
Determination of PFOS Presence		
and Concentration in Serum from		
the Dermal Absorption Studies of T-		
7106 and T-7107 in Hra:(NZW)SPF		,
Rabbits	1	
Dermal Sensitization Study of T-		
7285.5 in Guinea Pigs -		
Maximization Test (EPA/OECD		1
Guidelines)	\r 1	
Twenty-eight Day Repeated-Dose		
Oral Toxicity Study of T-6861 in		
	Lithium Bis(perfluoroethylsulfonyl)imide	132843-44-8
Rats Twenty-eight Day Repeated Dose		
Oral Toxicity Study of T-7005 in		
	lr 1	
Rats	<u> </u>	

	The Life Hillians	· · · · · · · · · · · · · · · · · · ·		
i tilka j	CRESSES SE SESSES CONTRACTOR S	5 N. C. 19 Mar 1 - 20, 1931		
Acute (4-Hour) Inhalation Toxicity of		1		
Test Atmospheres Obtained after				
<u> </u>	lr 1	f 1		
Heating [] in Rats Toxicokinetic Study of		<u> </u>		
Perflurooctanesulfonamidoacetate ([
	perfluorooctanesulfonamido carboxylic acid	2806-24-8		
]; T-7071.2) in Rats	perindoroccarioscironariado carocayno acia			
Acute Nose-Only Inhalation Toxicity				
Study of T-7087, T-7088, T-7089				
and T-7090 in Rats (Limit Test)	1	1		
and 1-7090 in Rais (Limit Test)		[
Acute Ocular Irritation Study of T-	<u> </u>			
7485 Applied to New Zealand White				
Rabbits	potassium nonafluorobutanesulfonate	29420-49-3		
Toxicokinetic Study of	potassium nonandorobotanocomeniote			
Perfluorooctane Sulfonamide				
(PFOSA; T-7132.2) in Rats	perfluorooctanesulfonamide	754-91-6		
Acute Four-Hour Inhalation Study in	Perflurobutanesulfonyl Fluoride (96-98%) And			
Rats		96-98% 375-72-4; 2-4% 42060-64-0		
Primary Eye Irritation/Corrosion	T CHICOTOCOMOLETIC (Z +70)			
Study of T-7508.2 in Rabbits	lr 1	[]		
MV31 K-Salz; Test for Primary				
Dermal Irritation in the Rabbit	1			
Assessment of Acute Oral Toxicity				
with T-7560 In The Rat (Acute Toxic				
Class Method)	[r			
Acute Eye Irritation/Corrosion Study				
with T-7560 in the Rabbit	r 1			
Potassium bis-				
(perfluorobutanesulfonyl)imide				
Repeat Dose ADME Study in Rats	Potassium bis(perfluorobutanesulfonyl)imide	129135-87-1		
Toxicity Study by Repeat Dose				
Inhalation Administration to CD Rats	Perflurobutanesulfonyl Fluoride (96-98%) And	·		
for 4 Weeks	Perfluorosulfolane (2-4%)	96-98% 375-72-4; 2-4% 42060-64-0		
IOI 7 WOORD				
A Sub-acute(28 Day) Inhalation				
Toxicity Study, Including a Recovery	1.1,1,2,2,4,5,5,5-nonafluoro-4-(trifluoromethyl)-3			
Study, with T-7479 in Rats	pentanon	756-13-8		
Xenochemical Receptor trans-				
Activation by Perfluorooctane-based				
Chemicals	perfluorooctanesulfonamide	754-91-6		

<u>`</u>	The second secon	OF THE PROPERTY OF
741	SEPSEMBLE PROPERTY.	NAMES OF STREET OF STREET
1 } 	14% 1-octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- neptadecafluoro-, potassium salt; 5.5% notassium (perfluorohexyl)sulfonate; 4% notassium nonafluorobutanesulfonate; 4% notassium perfluoroheptanesulfonate; 2% notassium perfluoropentanesulfanate; 0.5%	84% 2795-39-3; 5.5% 3871-99-6; 4% 29420-49-3;
	unknown 95% N-ethylperfluorooctanesulfonamidoethyl alcohol; 5% 1-heptanesulfonamide N-ethyl- 1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoro-N-	4% 60270-55-5; 2% 3872-25-1 95% 1691-99-2; 5% 68555-73-7
	(2-hydroxyethyl)-	
cute Inhalation Toxicokinetic Study if Perfluoroctanesulfonyl Fluroide POSF) T-7098.4	perfluorooctanesulfonyl fluoride	307-35-7
ive-Day Inhalation Toxicity Study of		181214-67-5
HFE [] in Male CD Rats	c-C6F11-CF2-O-CH3	101217-01-0
Acute Toxicity Screen of Perfluorocyclohexene (T-6878) in Rats	70% crude perfluorocyclohexene; 30% perfluoromethylcyclopentene	70% 355-75-9
] (T-7056)	l. 1	
Toxicokinetic Study in Rats	N-Methyl Perfluorobutylsulfonamide = 95% 1-	
Assessment of Acute Oral Toxicity with T-7601.3 in the Rat (Acute Toxic Class Method)	Butanesulfonamide, 1,1,2,2,3,3,4,4,4- Nonafluoro-n-Methyl; 5% N-Methyl-4-Hydrido- Perfluorobutylsulfonamide	68298-12-4
Subchronic 90-Day Oral Toxicity Study with T-7320 By Daily Gavage in the Rat Followed by a 28-Day Recovery Period		1
Protein Binding of Perfluorobutane	84% 1-octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluoro-, potassium salt; 5.5% te potassium (perfluorohexyl)sulfonate; 4% potassium nonafluorobutanesulfonate; 4% potassium perfluoroheptanesulfonate; 2% potassium perfluoropentanesulfanate; 0.5% unknown potassium nonafluorobutanesulfonate potassium (perfluorohexyl)sulfonate	84% 2795-39-3; 5.5% 3871-99-6; 4% 29420-49- 4% 60270-55-5; 2% 3872-25-1 29420-49-3 3871-99-6

STEEL ST	i do tua diculus.	
	potassium perfluorooctanoate	2395-00-8
Five Day Inhalation Toxicity Study of		
[] Monochloride, [], and		205367-42-6 (n-isomer) and 221617-86-3 (I-
HCFC225cb in Male CD Rats	C4F9-OCH2CI	isomer)
	c-C6F11-CF2-O-CH3	181214-67-5
	CF2CICF2CHCIF	507-55-1
Toxicokinetic Screen of [] (T-		
7483) in Rats	C7F15C(O)N(H)CH3	89685-56-3
	84% 1-octanesulfonic acid,	
	1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-	
	heptadecafluoro-, potassium salt; 5.5%	
	potassium (perfluorohexyl)sulfonate; 4%	
Low Level Oral	potassium nonafluorobutanesulfonate; 4%	
Perfluorooctanesulfonate (PFOS)	potassium perfluoroheptanesulfonate; 2%	
Dose Toxicokinetic Study in Rats:	potassium perfluoropentanesulfanate; 0.5%	84% 2795-39-3; 5.5% 3871-99-6; 4% 29420-49-3;
Serum and Liver PFOS	unknown	4% 60270-55-5; 2% 3872-25-1



BIOSEARCH, INC.

p.o. box 8598 philadelphia, pennsylvania 19101 telephone: (215) 848-4499 Project Number: 78-1244A

Submitted to:

3M Company 3M Center

St. Paul, Minnesota

55101

Material:

3M Company - T-2135CoC

Sample Received:

3/20/78 Study Initiated: 4/3/78 Study Completed: 4/25/78

Date of Report:

5/11/78

Test:

Guinea Pig Contact Dermal Irritation/Sensitization

Object of Test:

To assess the contact dermal irritation/sensitization potential of 3M Company T-2135CoC on guinea pigs.

Method of Test:

A group of six guinea pigs weighing between 300 and 400 grams were employed in this study. The backs of the guinea pigs were clipped free of hair. A 0.3 ml portion of sample was applied to the test site.

We pre-treated the test sites in three animals prior to applying T-2135CoC via our modified sodium lauryl sulfate maximizing method.

A gauze patch was placed over the treated areas and an impervious material was wrapped snugly around the trunks of the animals to hold the patch in place. After a 24 hour contact period the patch was removed, the test site was scored for dermal irritation and the animals were allowed to rest for one day. Following this rest period another application was applied to the same skin site using a fresh sample. This sequence was repeated for a total of four applications. After the fourth application the study was discontinued due to the severe skin reactions. The animals were rested for a two week period. At the termination of the rest period a challenge application was put on skin sites differing from the original test sites. The challenge application remained on for 24 hours. Readings were made 24 and 48 hours post application.

Results:

See Table 1.

Conclusion:

From the results obtained in this study, it appears that T-2135CoC is not a primary irritant. The material is however a strong fatiguing agent and a severe sensitizer. No difference was observed in the degree of irritation between the untreated animals and those pre-treated with sodium lauryl sulfate. After the fatiguing reaction developed, the irritation noted developed into a corposive reaction.

> Karl L. Gabriel, V.M.D., Ph.D. Director

TABLE 1
Guinea Pig Contact Dermal Irritation/Sensitization Study

Material: 3M Company - T-2135CoC, as directed.

Guinea Pig No.	Re	Reading After Application Number				Challenge		
	1	2	3	4	5 6 7 8 9 10 (Discontinued)	24 Hours	48 Hours	
1	0	0	1	3		2		
2	0	0	2	3		,	3	
3	0	0	2	3		3	4	
4						3	3	
	0	0	1	3		3	4	
5	0	0	2	3		3		
6	0	0	1	3		.	3	
			•	,		3	3	

Animals 1, 2, & 3 were not pre-treated with sodium lauryl sulfate.

Animals 4, 5, & 6 were pre-treated with sodium lauryl sulfate.